Groundwater - Water we doing to our planet??

Question: How much runoff is created by an average shopping mall parking lot?

Objective: You will calculate the yearly runoff created by a parking lot, and calculate the loss of water that would have entered the groundwater system.

Materials: Lab handout, pencil, calculator, paper

Background: In order for groundwater to be replenished for our use, precipitation must be absorbed by the ground. People worldwide are crying out due to lack of a stable, adequate water supply. Yet, in many industrialized countries, particularly the US, people are also demanding more construction, more roads, more shopping areas, etc. The over usage of our land is helping to cause the very water problem that used to be relegated to 3rd world countries. This lab will illustrate how much water we lose to runoff that could have infiltrated the land and gone to the replenishment of the water supply.

Data:

Richmond, VA's average annual rainfall is about 45" Average ground absorption rate is 50% An average shopping mall and surrounding parking areas is 75 acres. 1 acre = $43,560 \, \mathrm{ft}^2$ (208 ft x 208 ft)

Calculating the amount of rain / runoff:

Square inches or cm are AREA measurements, as is an acre. But, if square inches are multiplied by another inch (or cm), the resulting unit is a CUBIC inch, which is a unit of volume, just like gallons, liters, etc. This volume unit is what we need to find. Since cubic inches do not translate into gallons, we must convert inches to cm, cm to liters, then liters to gallons.

Conversions:

```
1) 1 inch = 2.54 cm

2) 1 cubic inch = (2.54 cm)<sup>3</sup>

3) 1 cm<sup>3</sup> = 1 ml

4) 1000 ml = 1 liter

5) 1 gallon = 3.8 liters

6) 1 foot = 12 inches
```

EXAMPLE of how to use conversion factors:

12

Now we have successfully used a conversion factor to go from one unit to another!!

NAME:	Date:	Period:
Procedure: YOU MUST FOLLOW THIS EXACTLY, OR YO	U WILL NOT	GET THE CORRECT ANSWER
Step one: Convert inches of rain into cm of rain		
(inches per year of rain) x 2.54cm =		_cm of rain per year
Step two: Convert acres into cm ²		
# acres x 43650 ft 2 x (conversion #6) 2 x (conversion	$\#1)^2 = \# \text{ cm}^2$	
acres x 43650 ft ² /1acre x (12 inches/1ft) ²	x (2.54 cm/1 in	$nch)^2 = \underline{\qquad} cm^2$
Step three: Find the volume in cm ³ and in ml		
Step 1 answer x step 2 answer		
cm x cm ² =		cm ³ , which is the same as ml !!!!!
Step four: Convert cm ³ to liters.		
Step 3 answer x conversion 3 x conversion 4 =	liters	
cm ³ x 1ml/cm ³ x 1 liter/1000 ml =		liters
<u>Step five</u> : Convert liters to gallons.		
Step 4 answer x conversion $5 = \#$ gallons		
liters x 1 gallon/3.8 liters =		gallons
Step six: Find absorption amount.		
Step 5 answer x percent absorption = # gallons lost to r	unoff	
gallons x 50% absorption =		gallons

Conclusion questions:

1) How many malls can <u>you</u> think of that are located in your area? Multiply this times the runoff amount and put that answer here:
2) Now, add in other shopping centers, businesses, roads, and GUESS how many MORE gallons are lost in this area: (your answer may be different from other students)
3) Consider that most malls, shopping centers, office parks, etc., have empty stores or offices. What could we do to reduce the number or area of parking lots and buildings?
4) What else could we do to increase the amount of water absorption from rainfall?
5) Explain why urban areas are more likely to have a water shortage than farmlands, even though farms use about the same amount of water.
6) How would the absorption rate be different if we had a different type of soil? Be specific.
7) What else could we do as a society to decrease the amount of land we use for building, while still not compromising the need to grow as populations increase?
Extension/Extra Credit:
Do research on a "green design" parking lot. What is this and why is it important? Present your findings.